



NEW ENERGY HIGH-PRESSURE WASHING TRUCK JBY5030TYHBEV

• Introduction:

New energy high-pressure washing truck JBY5030TYHBEV has the ability of multi-functional washing operation, mainly used for urban sidewalks, side roads, the rapid washing and cleaning of the stone along the road, as well as urban small advertising cleaning, leather boxes and garbage cans washing, ground dirt removal, road tiles to restore the original color, bus stop washing, public toilet washing. It can work together with small road sweeper to clean the sidewalks and side roads quickly, and the operation efficiency is higher. Small size, light weight, strong passability, and will not cause damage to the sidewalk tile, manhole cover and other public facilities. The vehicle chassis adopts Changan chassis SC1031XND64BEV, cold riveting splicing process, electrophoresis paint, equipped with large-size tires and shock absorber, easy to cope with high load conditions. And the operation keys can be completed in the cab equipped with cold and warm air conditioning operation, simple and convenient operation, safety, power saving, energy saving, environmental protection and so on.



• Product Images



**HEAD OFFICE: First Floor, Building No. 62, Nice Plaza, Canning Road,
Saddar Cantt, Rawalpindi. Tell: 051-5529184, 051-8316139 & 41**

Karachi Plant:

PSFCL, Pakistan Steel Mill, Bin Qasim, Karachi, Pakistan
Tell: 051-35306403, Fax: 051-35306403

Islamabad Plant:

Chungi No. 26, Peshawar Road, Motorway Chowk, Islamabad.
Tell: 051-5529184, Fax: 051-5562742



• **Product Parameters:**

Project name	Unit	Parameter
dimension	mm	5000×1600×2100
Number of passengers	people	2
Maximum no-load speed	km/h	80
Climbing ability	%	15
Maximum range	km	≥100
wheelbase	mm	2700
Wheel pitch	mm	1372/1300
Minimum ground clearance	mm	170
Battery capacity	KWH	Lithium iron phosphate battery 41.5
Driving motor power	kw	Rated power 30/ peak power 60
Pump power of cleaning machine	Kw	7.5
Charging time	h	≤8
Tank size	L	1500
High pressure flush flow	L/min	30
High pressure flush pressure	Mpa	≥20
High pressure flush coil length	m	15
Steering mode	/	ESP electronic power steering system
Whether there is a water level alarm	/	There are
Whether water level is observed	/	There are
Whether the pressure is adjustable	/	There are
Is there any astern video	/	There are

HEAD OFFICE: First Floor, Building No. 62, Nice Plaza, Canning Road, Saddar Cantt, Rawalpindi. Tell: 051-5529184, 051-8316139 & 41

Karachi Plant:

PSFCL, Pakistan Steel Mill, Bin Qasim, Karachi, Pakistan
 Tell: 051-35306403, Fax: 051-35306403

Islamabad Plant:

Chungi No. 26, Peshawar Road, Motorway Chowk, Islamabad.
 Tell: 051-5529184, Fax: 051-5562742



- **Product Advantages:**

- Front flush, electric valve control, according to the needs of different ground at any time to change the flushing direction, in the process of use can be adjusted to spray direction, about 30 degrees can be adjusted.
- Side before. Electric valve control.
- Box body: The box body adopts the sheet metal spraying process, which must be sprayed by the whole after pickling phosphating. The built-in integrated rolling water tank has a capacity of 1500 liters. The water tank has a special interface for cleaning and blowdown, and a water level observation window is provided in front of the box for real-time observation of water level.
- Barrel fittings: Comes with 15 meters water pipe automatic retracting and releasing device, convenient retracting and releasing high pressure pipe.
- Vehicle size: (length * width * height) 5000×1600×2100mm, compact body, agile shuttle various streets and alleys.
- Main kit with built-in hook for storage of hand-held flush, high-pressure water gun, hand-held stand.
- Equipped with hand-held high-pressure spray gun, rotating nozzle, for washing small advertisements, garbage cans, ground garbage.

**HEAD OFFICE: First Floor, Building No. 62, Nice Plaza, Canning Road,
Saddar Cantt, Rawalpindi. Tell: 051-5529184, 051-8316139 & 41**

Karachi Plant:

PSFCL, Pakistan Steel Mill, Bin Qasim, Karachi, Pakistan
Tell: 051-35306403, Fax: 051-35306403

Islamabad Plant:

Chungi No. 26, Peshawar Road, Motorway Chowk, Islamabad.
Tell: 051-5529184, Fax: 051-5562742